


PALERMO

**Kozijn voor glazen deuren
Door frame for glass door**

2018 Vernieuwd




**PARTITIONS
WALLS
SYSTEMS**

**VOLGLAS
SYSTEEM
WANDEN**

GLAS TECH
Solutions bv

ACCESSOIRES VOOR HARDGLAS






Required profiles and accessories for the correct installation of the frame profile “Z” to the wall

Product	Pcs
FRZ door frame profile	according to project
FR-BRACKET top bracket for connecting door frame	2
FR-CR INS lub/or FR-TGH INS reinforcing insert for mounting hinges	Per Hinge
FR-U04 door frame seal	according to project
FR-CR WZ, FR-TGH WZ, FR-TGH13/33 WZ / TEMPLATES	1
FRN-PCL plate striker for Erice Line locks	1

glass thickness for door panel (mm): 8; 10

ATTENTION: Cutting profiles according to the project requirements and needs.

„H” type aluminium profile for door frame, glass and wall installation




Required profiles and accessories for the correct installation of the frame profile “H” to the wall and glass

Product	Pcs
FRH door frame profile	according to project
FR-F-BRACKET corner bracket	2
FR-U04 door frame seal	according to project
FR-C-BRACKET the cast aluminium corner joint with spring load buttons	2
FR-GM SET stabilizing bolt	1
FCMRS 10/12 seal	according to project

glass thickness for door panel (mm): 8; 10
glass thickness for the partition panel (mm): 10; 12

ATTENTION: Cutting profiles according to the project requirements and needs.

„H” type aluminium profile for door frame,
glass and wall installation



Required profiles and accessories for the correct installation of the frame profile “Z” to the wall

Produkt / Product	Pcs
FRH profil door frame profile	according to project
FR-F-BRACKET corner bracket	2
FR-U04 door frame seal	according to project
FR-C-BRACKET die-cast aluminium corner joint with spring load buttons	2
FR-GM SET stabilizing bolt	2
FCMRS 10/12 seal	according to project



glass thickness for the partition panel (mm): 10; 12
glass thickness for fixed panel (mm): 10; 12

ATTENTION: Cutting profiles according to the project requirements and needs.




FRZ

„Z” type aluminium door frame profile

GLAS TECH
Solutions b.v.



Code	Material / Materiaal	Finish
FRZ-1250NA	aluminium / aluminium	silver anodized
FRZ-1250NAS	aluminium / aluminium	satin anodized
FRZ-2300NA	aluminium / aluminium	silver anodized
FRZ-2300NAS	aluminium / aluminium	satin anodized
FRZ-2510NA	aluminium / aluminium	silver anodized
FRZ-2510NAS	aluminium / aluminium	satin anodized
FRZ-3000NA	aluminium / aluminium	silver anodized
FRZ-3000NAS	aluminium / aluminium	satin anodized




Code	Materiaal / Material	Finish
FRH-1250NA	aluminium / aluminium	silver anodized
FRH-1250NAS	aluminium / aluminium	satin anodized
FRH-2300NA	aluminium / aluminium	silver anodized
FRH-2300NAS	aluminium / aluminium	satin anodized
FRH-2510NA	aluminium / aluminium	silver anodized
FRH-2510NAS	aluminium / aluminium	satin anodized
FRH-3000NA	aluminium / aluminium	silver anodized
FRH-3000NAS	aluminium / aluminium	satin anodized

FR-BRACKET

Top corner joint for „Z” profile



Code	Materiaal / Material
FR-BRACKET	RVS / stainless steel




FR-C-BRACKET

Die-cast aluminium corner joint with spring load buttons for „H” profile



Code	Materiaal / Material
FR-C-BRACKET	RVS / stainless steel aluminium / aluminium alloy




FR-GM SET

Stabilizing bolt for „H” profile (brass expansion bolt included)




Code	Materiaal / Material
FR-GM SET	aluminium / aluminium messing / brass



FR-F-BRACKET

Alignment corner joint for „H” profile



Code


FR-F-BRACKET

Materiaal / Material

RVS / stainless steel

FR-UO4


..... Door frame seal for „Z” & „H” profiles



Code	Lenght	Materiaal	Color
FR-UO4GR	1250 ⁺¹⁰	EPDM	grey
FR-UO4GR	2300 ⁺¹⁰	EPDM	grey
FR-UO4GR	2510 ⁺¹⁰	EPDM	grey
FR-UO4GR	3000 ⁺¹⁰	EPDM	grey
FR-UO4BL	1250 ⁺¹⁰	EPDM	black
FR-UO4BL	2300 ⁺¹⁰	EPDM	black
FR-UO4BL	2510 ⁺¹⁰	EPDM	black
FR-UO4BL	3000 ⁺¹⁰	EPDM	black

FR-CR WZ

Template for marking holes and position of the TGCR311 & TGCR312 hinges on the door frame Nuovo Palermo



Code


FR-CR WZ

Materiaal / Material

staal / steel

FR-TGH WZ

Template for marking holes and position of the TGH12, TGH122, TGH322, TGH42, TGH422 hinges on the door frame Nuovo Palermo



Code


FR-TGH WZ

Materiaal / Material

staal / steel

FR-TGH13/33 WZ

Template for marking holes and position of the pin pivot of hinges on the door frame Nuovo Palermo



Code


FR-TGH13/33 WZ

Material / Material

staal / steel

FR-CR INS

Reinforcing insert for mounting TGCR311 & TGCR312 hinges in „Z” profile door frame



Code

FR-CR INS


Materiaal / Material

staal / steel

set includes four screws,
class A2 M5x16

...FR-TG

Reinforcing insert for mounting TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges in „Z” profile door frame



Code

FR-TGH INS

Materiaal / Material

staal / steel

set includes four screws,
class A2 M5x16

LAZIO / ROMA


PALERMO

GARDA

Profiles
With the overpanel installation we
recommend to use only DRM profiles
ROMA RANGE

Door frame profile

Interpanel seal



ERICE LINE
/ ERICE LINE CONTROL ACCESS

Locks

ERICE LINE

Hinges

LAZIO / ROMA

Profiles

PALERMO
Door frame profile

LAZIO / ROMA



Profiles

ERICE LINE
/ ERICE LINE CONTROL ACCESS


Locks

ERICE LINE


Hinges




Section with „H” profile



Door frame Palermo





Door frame Palermo



Door frame Palermo



Installation scheme: ERICE LINE hinges, TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 with „Z” profile



Glass preparation for TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges

Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS


Installation scheme: ERICE LINE hinges, TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 with „H” profile




Glass preparation for TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges

Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS

Installation scheme: ERICE LINE hinges, TGH13SET
& TGH33SET with „Z” profile




Glass preparation for TGH13SET
and TGH33SET hinges




Recommended hinge fixing: M5x14 screws with blind rivet nut - not included
or installation with reinforcing bar FR-TGH INS

Installation scheme: ERICE LINE hinges, TGH13SET
& TGH33SET with „H” profile





Glass preparation for TGH13SET
and TGH33SET hinges



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation
with reinforcing bar FR-TGH INS



Installation scheme: ERICE LINE hinges, TGCR211
& TGCR312 with „Z” profile



Glass preparation for TGCR311
and TGCR312 hinges


Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation
with reinforcing bar FR-TGH INS

Installation scheme: ERICE LINE range TGCR311
& TGCR312 hinges with „H” profile




Glass preparation for TGCR311
and TGCR312 hinges


Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation
with reinforcing bar FR-TGH INS



Glass preparation for TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges




Glass preparation for TGH13SET and TGH33SET hinges




Glass preparation for TGCR311 and TGCR312 hinges

Installation scheme: ERICE LINE hinges, TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 with „H” profile




Recommended hinge fixing: M5x14 screws with blind rivetnut - not included or installation with reinforcing bar FR-TGH INS

Installation scheme: ERICE LINE hinges, TGH13SET & TGH33SET with „H” profile



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS



Installation scheme: ERICE LINE range TGCR311 & TGCR312 hinges with „H” profile



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS

Installation with TGH 12, TGH122, TGH32, TGH322,
TGH42, TGH422 hinges



FRH profile installation with hinges Erice Line



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation
with reinforcing bar FR-TGH INS

Installation with the hinge TGH13SET or TGH33SET



FRH profile installation with hinges Erice Line



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included

Installation with hinge TGCR311 or TGCR312


FRH profile installation with hinges Erice Line



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS

Installation with the hinge TGCR311 or TGCR312


FRH profile installation with hinges Erice Line



Recommended hinge fixing: M5x14 screws with blind rivet nut - not included or installation with reinforcing bar FR-TGH INS

FR-PEL

Strike plate for TG65-R i TGE65-S



Code

FR-PEL SSS

Materiaal / Material

RVS / stainless steel

ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.glastech.eu

FR-PLX

Short strike plate for TGE65-R, TGE65-S



Code

FR-PLX SSS

Materiaal / Material

RVS / stainless steel

ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdapolska.pl

FR-PL70 EL

Long strike plate for TGE65-R, TGE65-S



Code



FR-PL70 EL SSS

Materiaal / Material


RAL coated

ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdapolska.pl

GLAS TECH
Solutions bv.



Strike plate for Erice Line locks



Code

FRN-PCL SSS


Materiaal/Material

RVS / stainless steel

ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.glastech.eu

FR-PL70L

Strike plate for vertical lock TGL70L (left)



Code

FR-PL70L SSS


Materiaal/Material

RVS / stainless steel

ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.glastech.eu

FR-PL70R

Strike plate for vertical lock TGL70R (right)



Code


FR-PL70R SSS

Materiaal / Material

RVS / stainless steel


ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.glastech.eu

How to order



Optional for higher hinges and larger doors

Dimensional indication - please indicate the dimensions





www.glastech.eu



GLASS HARDWARE Be Ne De Lux

Burgemeester van Meeuwenstraat 2
6191 ND Beek (LB)
The Netherlands

Tel: +31(0) 46 428 07 28
sales@glastech.eu

www.glastech.eu