


CORLEONE

Balustrade
Glass balustrade system



BALUSTRADE
BALUSTRADES

GLAS TECH
Solutions bv



Accessoires vloer montage Accessories balustrade floor installation

Product / Produkt

Balustrade paal / Balustrade post

Vloer flens / Floor flange - set

Montage inzet handrail balustrade paal
Mounting insert of the handrail to balustrade post

Basis handrailing / Main handrail prole

Handrailing / Handrail

Boven glasprofiel / Top transom prole

Onder "U," glasprofiel / Bottom transom prole "U,"

Zelftapper 3,9x32 / Self-tapping screw 3,9X32

Montage materiaal voor balustrade paal /glasprofielen
Fixing of the transom prole to the balustrade post

glasdiktes (mm):
10-10.76; 12-12.76

glass thickness (mm):
10-10.76; 12-12.76

**Let op: Aanbevolen afstand tussen
de balustrade palen volgens statische
en sterkte test - max 1000 mm**

**NOTE: reccomended spacing between
the balustrade posts accordingly to**


CORLEONE

Balustrade - zij montage

Balustrade - side installation Glass Balustrade - floor installation

GLAS TECH

Solutions b.v.



Accessoires zijmontage

Accessories balustrade floor installation

Product / Produkt

Balustrade paalt / Balustrade post

Zij montage flens / Side mount flange - set

Montage inzet handrail balustrade paal

Mounting insert of the handrail to balustrade post

Basis handrailing / Main handrail prole

Handrailing / Handrail

Boven glasprofiel / Top transom prole

Onder "U," glasprofiel / Bottom transom prole "U,"

Zelftapper 3,9x32 / Self-tapping screw 3,9X32

Montage materiaal voor balustrade paal /glasprofielen

Fixing of the transom prole to the balustrade post

glasdiktes (mm):
10-10.76; 12-12.76


glass thickness (mm):
10-10.76; 12-12.76

**Let op: Aanbevolen afstand tussen
de balustrade palen volgens statische
en sterkte test - max 1000 mm**

**NOTE: reccomended spacing between
the balustrade posts accordingly to**

CDA-BP

Balustrade paal
Balustrade post





Kode	Lenght (mm)	Finish
CDA-BP2300RAL	2300	RAL 9006 / RAL 9006
CDA-BP2900RAL	2900	RAL 9006 / RAL 9006
CDA-BP2300AL	2300	brute aluminium / raw aluminium
CDA-BP2900AL	2900	brute aluminium / raw aluminium

materiaal: aluminium

material: aluminium

CDA-FP86SET

Vloer flens -set
Floor flange - set



Kode	Materiaal	Finish
CDA-FP86SET RAL	aluminium / aluminium	RAL 9006 / RAL 9006
CDA-FP86SET AL	aluminium / aluminium	brute aluminium / raw aluminium

materiaal: aluminium material: aluminium



Exclusief montage schroef Mounting screws not included

CDA- FP107SET

Zij montage flens - set
Side flange - set




GLAS TECH
Solutions bv.



Kode	Materiaal	Finish
CDA-FP107SET RAL	aluminium / aluminium	RAL 9006 / RAL 9006
CDA-FP107SET AL	aluminium / aluminium brute	aluminium / raw aluminium
Exclusief montage schroef		Mounting screws not included

CDA-HINS-SET


Montage inzetstuk voor handrail en balustrade paal -set
Mounting insert of the handrail to balustrade post - set



Kode	Materiaal	Finish
CDA-HINS-SET	aluminium / aluminium	brute aluminium / raw aluminium
Inclusief schroeven		Screws included

CDA-HBASE/3000



Basis profiel voor handrailing
Base prole for the handrail



Kode	Lenght	Finish
CDA-HBASE/3000RAL		RAL 9006 / RAL 9006
CDA-HBASE/3000AL	3000	brute aluminium / raw aluminium
materiaal: aluminium		material: aluminium

CDA-HCOV/3000


Handrailing
Handrail



Kode	Lenght (mm)	Finish
CDA-HCOV/3000RAL	3000	RAL 9006 / RAL 9006
CDA-HCOV/3000AL	3000	brute aluminium / raw aluminium
materiaal: aluminium		material: aluminium

FCM38-SET

Top glas montage profiel -set
Top transom prole - set




Code	Glass thickness (mm)	Finish	Material	Seal
FCM38-SET10RAL	10-10.76	RAL 9006 RAL 9006	aluminium / aluminium	grijs / gray
FCM38-SET12RAL	12-12.76	RAL 9006 RAL 9006	aluminium / aluminium	grijs / gray
FCM38-SET10AL	10-10.76	brute aluminium / raw aluminium	aluminium / aluminium	grijs / gray
FCM38-SET12AL	12-12.76	brute aluminium / raw aluminium	aluminium / aluminium	grijs / gray

profiel lengte (mm): 3000 / inclusief rubber en T strip

profile's lenght (mm): 3000 / gaskets & T strip included

FCM38U-SET

Profil montażowy „U” - zestaw
Bottom transom prole „U” - set




Code	Glass thickness (mm)	Finish	Material	Seal
FCM38U-SET10RAL	10-10.76	RAL 9006 RAL 9006	aluminium / aluminium	grijs / gray
FCM38U-SET12RAL	12-12.76	RAL 9006 RAL 9006	aluminium / aluminium	grijs / gray
FCM38U-SET10AL	10-10.76	brute aluminium / raw aluminium	aluminium / aluminium	grijs / gray
FCM38U-SET12AL	12-12.76	brute aluminium / raw aluminium	aluminium / aluminium	grijs / gray

profiel lengte (mm): 3000 / inclusief rubber en T strip

profile's lenght (mm): 3000 / gaskets & T strip included

FCM38SCREWNUT

Schroef met moer voor montage FCM38 op balustrade paal
Screw with nut for mounting FCM38 with balustrade post



Code


FCM38SCREWNUT SSS

Materiaal

rvs / stainless steel

CDA-FP86-3

Vulstuk 3 mm
Spacer 3 mm



Code

CDA-FP86-3SSS

Thickness (mm)

3

Materiaal


rvs SUS304
stainless steel SUS304

Op bestelling

on special order

CDA-FP86-93

Vulplaat 3 mm
Spacer 3 mm



Code

CDA-FP86-93SSS

Thickness (mm)


3

Materiaal

rvs SUS304
stainless steel SUS304

CDA-BR180


Connector 180° voor FCM38U en handrailing
Straight connector 180° for transom prole and handrail



Code	Materiaal
CDA-BR180SSS	rvs / stainless steel

CDA-BR90


Connector 90° FCM38U en handrailing
Angle connector 90° for transom prole and handrail



Code	Materiaal
CDA-BR90SSS	rvs / stainless steel

CDA-BR135


Connector 135° voor FCM38U en handrailing
Angle connector 135° for transom prole and handrail



Code	Materiaal
CDA-BR135SSS	rvs / stainless steel

FCM38-180

Connector 180° FCM38
Straight connector 180° for transom prole


Code


FCM38-180ABS

Materiaal

ABS / ABS

FCM38-90

Connector 90° FCM38
Angle connector 90° for transom prole


Code


FCM38-90ABS

Materiaal

ABS / ABS

FCM38-135

Connector 135° FCM38
Angle connector 135° for transom prole


Code


FCM38-135ABS

Materiaal

ABS / ABS

CDA-HEC


Eindkap handrailing
Handrail end cap




Code	Materiaal
CDA-HEC SSS	rvs / stainless steel
CDA-HEC-ABS SILV	ABS / ABS

CDA-BPEC

Balustrade paal eindkap
Balustrade post end cap



Code	Materiaal
CDA-BPEC SSS	rvs / stainless steel
CDA-BPEC-ABS SILV	ABS / ABS




Code	Materiaal
FCM38EC SSS	nvs / stainless steel
FCM38EC-ABS SILV	ABS / ABS


CORLEONE

Voorbeeld
Installation example

GLAS TECH
Solutions b.v.



Floor installation example



Side installation example



GLASS HARDWARE Be Ne De Lux

Burgemeester van Meeuwenstraat 2
6191 ND Beek (LB)
The Netherlands

Tel: +31(0) 46 428 07 28
sales@glastech.eu

www.glastech.eu