MAGTEC

Punthouders
Point fix system



PUNTHOUDERS

POINT FIX
CONNECTORS

GLAS TECH *Solutions by*

GLAS TECH
Solutions bv


ACCESSOIRES VOOR HARDGLAS

GLAS TECH Solutions b.v.


MAGTEC POINT FIX

CSA

Verzonken punthouder (verstelbaar)
Countersunk point stud (adjustable)



Glasbewerking
Glass preparation






Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5


CODE	Glasdikte (mm) Glass thickness (mm)	Materiaal Material
CSASSS	8; 10; 12	rvs / stainless steel
finish: mat		finish: satin
inclusief pakking		gaskets included

CSA 17.52

Verzonken punthouder (verstelbaar)
Countersunk point stud (adjustable)



Glasbewerking
Glass preparation





Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Glasdikte (mm) Glass thickness (mm)	Materiaal Material
CSA-17.52SSS	13.52; 15.52; 17.52	rvs / stainless steel
finish: mat		finish: satin
inclusief pakking		gaskets included


GLAS TECH Solutions b.v.


Quality product of P&M

FHA

Vlakke punthouder (verstelbaar)
Flathead point stud (adjustable)








CODE	Glasdikte (mm) Glass thickness (mm)	Materiaal Material
FHASSS	8; 10; 12	rvs / stainless steel
finish: mat		finish: satin
inclusief pakking		gaskets included


Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5

FHA 17.52

Vlakke punthouder (verstelbaar)
Flathead point stud (adjustable)







CODE	Glasdikte (mm) Glass thickness (mm)	Materiaal Material
FHA-17.52SSS	13.52; 15.52; 17.52	rvs / stainless steel
finish: mat		finish: satin
inclusief pakking		gaskets included


Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
13.52	5.5
15.52	3.5
17.52	1.5

GLAS TECH Solutions b.v.


MAGTEC POINT FIX

MC1


Draaibare punthouder (glas - wand)
Swivel point fix connector (wall to glass)







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC1-CSASSS	verzonken / countersunk	8; 10; 12
MC1-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC1-FHASSS	vlak / flathead	8; 10; 12
MC1-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52


materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


MAGTEC POINT FIX

MC2


Punthouder (glas - glas 180°)
Point fix connector (glass to glass 180°)







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC2-CSASSS	verzonken / countersunk	8; 10; 12
MC2-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC2-FHASSS	vlak / flathead	8; 10; 12
MC2-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

GLAS TECH Solutions b.v.


MAGTEC POINT FIX

MC2-4


Punthouder voor 4 panelen
Point fix connector for 4 panels







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC2-4-CSASSS	verzonken / countersunk	8; 10; 12
MC2-4-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC2-4-FHASSS	vlak / flathead	8; 10; 12
MC2-4-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52


materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included

MAGTEC POINT FIX


MC3

Punthouder (glas - glas 90°)
Point fix connector (glass to glass 90°)






GT- Glasdikte / Glass thickness
GSKT - Dikte pakking / Gasket thickness



Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel


CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC3-CSASSS	verzonken / countersunk	8; 10; 12
MC3-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC3-FHASSS	vlak / flathead	8; 10; 12
MC3-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5


MC4

Punthouder (glas -glas panelen 90°uitwendig)
Point fix connector (glass to glass 90°external)




GT- Glasdikte / Glass thickness
GSKT - Dikte pakking / Gasket thickness





Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

Glasdikte (mm) Glass thickness (mm)	**Dikte pakking** (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC4-CSASSS	verzonken / countersunk	8; 10; 12
MC4-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC4-FHASSS	vlak / flathead	8; 10; 12
MC4-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52


materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included

MAGTEC POINT FIX


MC5

Draaibare punthouder (glas - glas 90° inwandig)
Swivel point fix connector (glass to glass 90° internal)






GT- Glasdikte / Glass thickness
GSKT - Dikte pakking / Gasket thickness



Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel


CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC5-CSASSS	verzonken / countersunk	8; 10; 12
MC5-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC5-FHASSS	vlak / flathead	8; 10; 12
MC5-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5


MC5-4

Punthouder voor 4 panelen 90°
Point fix connector for 4 panels 90°



GT- Glasdikte / Glass thickness
GSKT - Dikte pakking / Gasket thickness





Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC5-4-CSASSS	verzonken / countersunk	8; 10; 12
MC5-4-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC5-4-FHASSS	vlak / flathead	8; 10; 12
MC5-4-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52


materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


MAGTEC POINT FIX

MC6


Dubbele punthouder met dwars paneel
Double point fix connector with perpendicular panel







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel


CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
MC6-CSASSS	verzonken / countersunk	8; 10; 12
MC6-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
MC6-FHASSS	vlak / flathead	8; 10; 12
MC6-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

PG1


Draaibare punthouder (glas - wand)
Swivel point fix connector (wall to glass)







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
PG1-CSASSS	verzonken / countersunk	8; 10; 12
PG1-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
PG1-FHASSS	vlak / flathead	8; 10; 12
PG1-FHA-17.52SSS	vlak / flathead	13.52; 15.52; 17.52


materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included

MAGTEC POINT FIX


PG2-41

Draaibare punthouder (glas - glas 90°)
Swivel point fix connector (glass to glass 90°)






GT- Glasdikte / Glass thickness
GSKT - Dikte pakking / Gasket thickness



Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
PG2-41-CSASSS	verzonken / countersunk	8; 10; 12
PG2-41-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
PG2-41-FHASSS	vlak / flathead	8; 10; 12
PG-41-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

GLAS TECH Solutions b.v.


MAGTEC POINT FIX

PG2-93


Draaibare punthouder (glas - glas 180°)
Swivel point fix connector (glass to glass 180°)







Glasbewerking
verzonken rozet
Glass preparation for
countersunk routel



Glasbewerking
vlakke rozet
Glass preparation for
flathead routel

Glasdikte (mm) Glass thickness (mm)	Dikte pakking (mm) Gasket thickness (mm)
8	5.5
10	3.5
12	1.5
13.52	5.5
15.52	3.5
17.52	1.5

CODE	Verzonken / vlak Countersunk / Flathead	Glasdikte (mm) Glass thickness (mm)
PG2-93-CSASSS	verzonken / countersunk	8; 10; 12
PG2-93-CSA-17.52SSS	verzonken / countersunk	13.52; 15.52; 17.52
PG2-93-FHASSS	vlak / flathead	8; 10; 12
PG2-93-17.52FHASSS	vlak / flathead	13.52; 15.52; 17.52

materiaal: rvs	material: stainless steel
finish: mat	finish: satin
inclusief pakking	gaskets included


MAGTEC POINT FIX


GLAS TECH Solutions b.v.

Quality product of P&M

MPL20


Punthouders voor spiegels en glaspanelen
Point fixing for mirrors and glass panels





Code	Finish / Finish
MPL20SSS	mat / satin

materiaal: rvs	material: stainless steel
glasdikte (mm): 4 - 8	glass thickness (mm): 4 - 8





Glasbewerking
Glass preparation

MPE06

Verzonken punthouder
Countersunk point fixing







Code	Finish / Finish
MPE06	mat / satin


materiaal: rvs	material: stainless steel
glasdikte (mm): 8; 10; 12	glass thickness (mm): 8; 10; 12

Glasbewerking
Glass preparation

MPE08

Verzonken punthouder
Countersunk point fixing





Glasbewerking
Glass preparation


Code	Finish / Finish
MPE08	mat / satin

materiaal: rvs	material: stainless steel
glasdikte (mm): 8; 10; 12	glass thickness (mm): 8; 10; 12

MPE10

Verzonken punthouder
Countersunk point fixing





Glasbewerking
Glass preparation

Code	Finish / Finish
MPE10	mat / satin

materiaal: rvs	material: stainless steel
glasdikte (mm): 8; 10; 12	glass thickness (mm): 8; 10; 12

NOTITIES

GLAS TECH
Solutions b.v.

www.glastech.eu

GLAS TECH
Solutions b.v.

GLASS HARDWARE Be Ne De Lux

Burgemeester van Meeuwenstraat 2
6191 ND Beek (LB)
The Netherlands

Tel: +31(0) 46 428 07 28
sales@glastech.eu

www.**glastech**.eu